

SELECT AN ACTION TO NAVIGATE TO THE DASHBOARD

A
Actions

PLAN THE WORK
WORK THE PLAN

ENGAGE OUR WORKFORCE

WALK OUR JOB SITES

COACH OUR TEAMS

OWN RELENTLESS
HOUSEKEEPING

UNDER CONSTRUCTION

REPORT & MANAGE
OUR INCIDENTS

R
Results

TOTAL INCIDENT RATE	STCKY <i>Success</i>	STCKY <i>Luck</i>	STCKY <i>Injury</i>	STCKY WALKS		RECORDABLE INCIDENT RATE
				<i>Success</i>	<i>Luck</i>	
12.6	72%	28%	0%	82.65%	17.35%	0.55

This summary includes Sundt and subcontractor results. For a detailed breakdown, [click here to view results](#).

Incident Landing Page

Incident Reports

GROUP/DISTRICT/REGION

Select All

PROJECT

All

PRIMARY INVOLVED

All

INCIDENT REVIEW LEVEL

All

FISCAL YEAR

FY-2026

Include Rollup Jobs

Yes

No

1245

Incidents

1115 / 130

Non-STCKY / STCKY

54

Recordables

STCKY

Recordable

INCIDENT TYPE

All

CATEGORY

All

STCKY Success

STCKY Luck

Recordable

STCKY Success & Recordable

STCKY Luck & Recordable

Non-STCKY & Not Recordable

<

>

Today

June 2026

Month

Week

Day

List

Sun	Mon	Tue	Wed	Thu	Fri
31	1	2	3	4	
	112485 (TxDOT IH 20 JBS Pk...	112401 (ADOT - I-10 Countr...	112602 (Broadway Road Pha...	122520 (PHX I-I Site Phase 3)...	142520 (Santee Coo
	142520 (Santee Cooper Rain...	112482 (Neighborhood 2 & ...	122419 (ERAU T3 Residence ...	862282 (Gilbert NWTP Facilit...	122607 (PHX-II Site);
	142522 ((PRECON) Stibnite ...	112401 (ADOT - I-10 Countr...	112605 (COD Pecan Creek W...	142508 (GBP Project Powerp...	152506 (TSMC IRWP
	162492 (Cave Creek WRP Re...	122398 (Tucson Proving Gro...	862282 (Gilbert NWTP Facilit...	132532 (Grant UTK-8 – WSM...	112482 (Neighborhc
	862282 (Gilbert NWTP Facilit...	812487 (SR 202 Santan Frwy ...	862282 (Gilbert NWTP Facilit...	142508 (GBP Project Powerp...	112267 (South Alam
	122604 (PHX-II Substation); ...	862282 (Gilbert NWTP Facilit...		142508 (GBP Project Powerp...	
	112482 (Neighborhood 2 & ...			162492 (Cave Creek WRP Re...	
	112484 (Corporate Drive Seg...			112497 (ITD D5 I-15, Northg...	
	142508 (GBP Project Powerp...			162606 (RNO AWTF); Sundt ...	
	142508 (GBP Project Powerp...			152506 (TSMC IRWP); Trade ...	
	112497 (ITD D5 I-15, Northg...			142508 (GBP Project Powerp...	
	112602 (Broadway Road Pha...			112607 (Prime – AUS01); Sun...	
				861977 (SLCDPU New Water ...	
				152506 (TSMC IRWP); Trade ...	



Key Data

Incident Reports



GROUP/DISTRICT/REGION

Select All

PROJECT

All

PRIMARY INVOLVED

All

INCIDENT REVIEW LEVEL

All

FISCAL YEAR





FY-2026

Include Rollup Jobs

Yes

No

Incident Type	
Injury	568
Property Damage (not utility related)	244
Auto/Motor Vehicle	211
Utility Damage	104
Near Miss	83
Construction Equipment (non motor vehicle)	62
Personal Medical Issue	59
Chemical Spill	33
Theft	16
Inspection by Regulatory Agency	9
Crane	3
Water Intrusion	3
Total	1395



Form ID	Incident Date	Project	Primary Involved	Incident Type	Classification	Description
236866	6/23/2026 10:00:00 AM	142517 (Dominion Wateree ELG FGD System Installation Project)	Sundt Heavy Industrial and Mining	Near Miss	Non-STCKV	Employee was walking and
236894	6/23/2026 9:45:00 AM	152604 (TSMC - P4 API Austin Commercial Scopes)	Sundt Concrete	Personal Medical Issue	Non-STCKV	Employee was placing con
236615	6/22/2026 11:00:00 AM	122418 (PHX I-I-Building 6)	Third Party	Injury	Non-STCKV	A pipefitter was moving an
236524	6/19/2026 3:45:00 PM	162478 (MWS: Omohundro Process Advancements)	Trade Contractor	Chemical Spill	Non-STCKV	A subcontractor concrete t
236078	6/19/2026 11:45:00 AM	142504 (Dominion Chesterfield Simple Cycle Project)	Sundt Heavy Industrial and Mining	Personal Medical Issue	Non-STCKV	At approximately 11:45AM, ;
236072	6/19/2026 9:00:00 AM	122603 (Prime-AUS-01)	Sundt Building	Injury	Non-STCKV	An employee owner was oi
236160	6/18/2026 9:15:00 AM	142508 (CDD Project Powerpack)	Warehouse (Sundt)	Property Damage (not utility related)	Non-STCKV	A Sundt labor crew was on



Injury Data

[Incident Reports](#)



GROUP/DISTRICT/REGION
Select All

PROJECT
All


PRIMARY INVOLVED
All

INCIDENT REVIEW LEVEL
All


FISCAL YEAR
FY-2026

Include Rollup Jobs
Yes No


Injury Classification




First Aid Provider




Medical Treatment Provider




Medical Treatment



Main Cause of Injury



Injury Type



Form ID	Total Recordables	Incident Date	Project	Incident Description
178305	1	10/1/2025 2:00:00 PM	162492 (Cave Creek WRP Rehabilitation)	An Ammex rebar placer was offloading a flatbed trailer of materials on the east side of the BNR. The employee was end of the trailer causing the employee to lose their balance and fall to the ground. The employee had contusions employee before moving his position. The employee was assessed by Phoenix EMS as being in stable condition an the employee did sustain fractures in their ribs.
179304	1	10/8/2025 9:45:00 AM	122418 (PHX I-I-Building 6)	HVAC installers were unloading a delivery of duct work from a truck and placing it on dunnage. As they neared con On-Site Medical for initial treatment, then to Ames Clinic for a second opinion, and later referred to JV Orthopedic
180652	1	10/10/2025 10:30:00 AM	162260 (DC Office Building & MLCP)	While pulling four #1 AWG and one #8 AWG conductors from the (B) corridor conduit to the (C) 1A electrical room

STCKY Classification Data

GROUP/DISTRICT/REGION

Select All

PROJECT

All

PRIMARY INVOLVED

All

INCIDENT REVIEW LEVEL

All

FISCAL YEAR

FY-2026



Include Rollup Jobs

Yes

No

Non-STCKY / STCKY	Non-STCKY %	STCKY %	STCKY Success %	STCKY Luck %	STCKY Injury %
1115 / 130	90%	10%	72%	28%	0%

Incident Type	
Injury	568
Property Damage (not utility related)	244
Auto/Motor Vehicle	211
Utility Damage	104
Near Miss	83
Construction Equipment (non motor vehicle)	62
Personal Medical Issue	59
STCKY Success	37
Total	1395



Form ID	Incident Date	Project	Primary Involved	Incident Type	Class
235699	6/18/2026 10:30:00 AM	I42520 (Santee Cooper Rainey Station Foundations & UG Installations)	Sundt Heavy Industrial and Mining	Property Damage (not utility related)	Non-STCKY
215732	3/24/2026 12:30:00 PM	I42512 (Const - South32 Taylor Process Plant)	Sundt Concrete	Injury	Non-STCKY
213663	3/16/2026 10:00:00 AM	I12482 (Neighborhood 2 & 6 Improvements)	Sundt Transportation	Utility Damage	Non-STCKY
232882	6/5/2026 12:15:00 AM	I42520 (Santee Cooper Rainey Station Foundations & UG Installations)	Sundt Concrete	Injury	Non-STCKY
205413	2/5/2026 9:30:00 AM	I42516 (FCX Miami Smelter Sustainability)	Sundt Heavy Industrial and Mining	Near Miss	STCKY
220334	4/15/2026 8:40:00 AM	I12484 (Corporate Drive Segments 2 & 3)	Sundt Transportation	Injury	Non-STCKY



STCKY Causal Analysis

[Incident Reports](#)

GROUP/DISTRICT/REGION

Select All



PROJECT

All



PRIMARY INVOLVED

All



INCIDENT REVIEW LEVEL

All



FISCAL YEAR

FY-2026




Include Rollup Jobs

Yes

No

STCKY Classification ● Non-STCKY Damage ● Non-STCKY Injury ● STCKY Luck ● STCKY Success




Success vs Luck

STCKY Classification

● STCKY Success

● STCKY Luck




Control in Place?

● Yes

● Not applicable

● No




Reason Controls Not in Place

● Hazard Not Recognized

● Control Not Identified

● Control Not Implemented

● Control Not Executed



Control

● Dropped object prote...

● Energized systems pr...

● Adequate execution o...

● Electrical sources, ge...

● Personal fall protecti...


● Required Load Handli...

● Adequate execution o...

● Fall prevention measu...

● Personnel protected f...

● Safe procedures in pl...



Equipment/Vehicle/Crane Data

Incident Reports



GROUP/DISTRICT/REGION

Select All

PROJECT

All

PRIMARY INVOLVED

All

INCIDENT REVIEW LEVEL

All

FISCAL YEAR

FY-2026

Include Rollup Jobs

Yes

No

Crane

Equipment

Equipment Involved

800


Cranes Involved

4


Estimated Value of Damage/Loss

\$2.71M


Primary Incident Type




Business Interruption




Value of Damage/Loss



Equipment Category



Equipment/Crane Owner



Form ID	Incident Date	Project	Primary Involved	Incident Type	Classification	# Equipment Involved	# Cranes Involved
226958	5/13/2026 2:26:00 PM	112497 (ITD D5 I-15, Northgate to Fort Hall - South)	Trade Contractor	Property Damage (not utility related)	Non-STCKV	3	
181515	10/18/2025 4:00:00 AM	112494 (Scenario 3B Transmission Main Rehabilitation)	Sundt Transportation	Theft	Non-STCKV	3	
235515	6/17/2026 8:30:00 AM	112601 (COM Ellsworth Rd Improvements)	Member of the Public	Auto/Motor Vehicle	Non-STCKV	3	
182920	10/14/2025 1:09:00 PM	862282 (Gilbert NWTP Facility Upgrades and Reconstruction)	Sundt Water and Wastewater	Property Damage (not utility related)	Non-STCKV	3	
207574	2/18/2026 2:30:00 PM	112601 (COM Ellsworth Rd Improvements)	Member of the Public	Auto/Motor Vehicle	Non-STCKV	3	



Utility Data

Incident Reports



GROUP/DISTRICT/REGION
Select All

PROJECT
All

PRIMARY INVOLVED
All

INCIDENT REVIEW LEVEL
All

FISCAL YEAR
FY-2026


Include Rollup Jobs
Yes No

Estimated Value of Utility Damage/Loss


\$334K

Utility Incident Information	N/A or TBD	No	Not applicable	Yes
Was a Disturbance Permit in place for this activity?		13	11	69
Was a spotter used?	15	15		82
Was the utility accurately located/marked?		56	9	47
Was the utility de-energized?	13	73		26


Utility Type




Value of Damage/Loss




Utility Location



Utility Installation



Business Interruption



Form ID	Incident Date	Project	Primary Involved	Incident Type	Classification	# Utilities Damaged	Description
235699	6/18/2026 10:30:00 AM	142520 (Santee Cooper Rainey Station Foundations & UG Installations)	Sundt Heavy Industrial and Mining	Property Damage (not utility related)	Non-STCKY		"Damage
215732	3/24/2026 12:30:00 PM	142512 (Const - South32 Taylor Process Plant)	Sundt Concrete	Injury	Non-STCKY		. Employe
213663	3/16/2026 10:00:00 AM	112482 (Neighborhood 2 & 6 Improvements)	Sundt Transportation	Utility Damage	Non-STCKY	1	[Sundt er
232882	6/5/2026 12:15:00 AM	142520 (Santee Cooper Rainey Station Foundations & UG Installations)	Sundt Concrete	Injury	Non-STCKY		2 Carpen
205413	2/5/2026 9:30:00 AM	142516 (FCX Miami Smelter Sustainability)	Sundt Heavy Industrial and Mining	Near Miss	STCKY		3 Ansgar



Incident List

[Incident Reports](#)

GROUP/DISTRICT/REGION	PROJECT	PRIMARY INVOLVED	INCIDENT REVIEW LEVEL	FISCAL YEAR	Include Rollup Jobs
Select All	All	All	All	FY-2026	Yes No

STCKY	INCIDENT TYPE	CATEGORY	CLASSIFICATION	Recordable
	All	All	All	

Form ID		Incident Date	Project	Primary Involved	Incident Type	Classification	Level	Description
236894	🔗	6/23/2026 9:45:00 AM	152604 (TSMC – P4_API Austin Commercial Scopes)	Sundt Concrete	Personal Medical Issue	Non-STCKY	No Level	Employee was placing concrete and began experiencing cramps in the abdomen area. He promptly informed his supervisor who placed him in a vehicle to cool down. He was transported to On-Site Medical where it was determined to be a personal medical issue and treatment was refused.
236866	🔗	6/23/2026 10:00:00 AM	142517 (Dominion Wateree ELG FGD System Installation Project)	Sundt Heavy Industrial and Mining	Near Miss	Non-STCKY	Level I	Employee was walking and tripped over a 3" hose being used to pump out sumps. The employee was not injured but reported the incident. Report only. This hose has been in place for weeks and the site raised awareness of hose locations and looking into a different placement or highlighting the areas the hoses are located. OccuCare was consulted and no injury occurred. Employee returned to work.
236615	🔗	6/22/2026 11:00:00 AM	122418 (PHX I-I-Building 6)	Third Party	Injury	Non-STCKY	Level I	A pipefitter was moving and positioning large hoses (approximately 500 lbs.) for a flush-and-fill operation at the pumps when he experienced pain in his right elbow. The employee immediately reported that it felt as though he had hyperextended the elbow, stopped work, and notified supervision. He was evaluated by the onsite nurse, who provided treatment. Following the evaluation, the employee was released to return to work and resumed normal duties.
236524	🔗	6/19/2026 3:45:00 PM	162478 (MWS: Omohundro Process Advancements)	Trade Contractor	Chemical Spill	Non-STCKY	Level I	A subcontractor concrete truck entered the facility through Gate 8 to perform a concrete pour in Metro's Pre-Treat parking lot. The truck had a pre-existing hydraulic leak that was not detected before arriving on site. The driver did not contact the supervisor responsible for the operation to obtain site-specific directions and traveled through the facility, releasing hydraulic fluid along multiple site roadways. Sundt supervision identified the leak when the truck arrived at the designated work area and immediately directed the driver to stop the vehicle. Spill response measures were implemented using spill kits and absorbent material to contain and control the release. The affected areas were secured, and cleanup activities were initiated in accordance with site environmental procedures.
236201	🔗	6/19/2026 6:30:00 AM	122605 (PHX-II Building I)	Trade Contractor	Injury	Non-STCKY	Level I	An IE and a team member were bending 2.5-inch EMT conduit using a conduit bender. The conduit was positioned in the bender with one end secured beneath the retaining chain. The IE believed the chain was too loose and placed his hands on the conduit to hold it in position. The team member operating

Days Since Last Incident									
GROUP/DISTRICT/REGION		PROJECT		PRIMARY INVOLVED		INCIDENT REVIEW LEVEL		FISCAL YEAR	
Select All		All		All		All		FY-2026	
								Yes No	
Group	Days Since Last Incident	Days Since Last STCKV Incident	Days Since Last Injury	Project	Days Since Last Incident	Days Since Last STCKV Incident	Days Since Last Injury		
+ RENEWABLES	9		14	11172 183n GHC JV	82		82		
+ CONCRETE	8	8	8	112260 CoSA Zona Cultural Streets	142				
+ TRANSPORTATION	6	6	8	112261 TXDOT IH10 Widening 2121-01-094 El Paso	41	51	41		
+ ADVANCED FACILITIES	1	19	7	112267 South Alamo Street (Market Street to Cesar Chavez Boulevard)	19		148		
+ WATER & WASTEWATER	5	6	6	112372 67th Ave. Corridor Improvements	62		62		
+ HEAVY INDUSTRIAL & MINING	1	6	5	112373 UBC Dam 101	230				
+ BUILDING	2	12	2	112375 GBRA - Lake McQueeney & Placid Dams	72	230	72		
				112378 DENTON - BONNIE BRAE PHASE 3	202		210		
				112401 ADOT - I-10 Country Club Rd & Kino Parkway TI's	7	44	9		



Stop The STCKY

STCKY Walks



GROUP/DISTRICT/REGION

Select All



PROJECT

All



REPORTER

All



ROLE

All



FISCAL YEAR

FY-2026




Include Rollup Jobs

Yes

No


47,266 Assessments Completed




Number of STCKY Walks Submitted

Sundt


Trade Partner




Stop Work Rate



Reason Protection Not In Place



Cause of Missing Protection



Missing Protections



GROUP/DISTRICT/REGION		PROJECT		REPORTER		ROLE		FISCAL YEAR	Include Rollup Jobs	
Select All		All		All		All		FY-2026	Yes	No
Form				Missing Protection Reason				9/25/2022 6/24/2026		
All		Sundt Trade Partner		All						
Date	Form	Project		Contractor	Division	Protection	Reason	Location/Comments		
6/23/2026	S#1t That's Built Underground	12675 Project FreeBird		Rivercity	31 00 00 - Earthwork	Cave-in protection in place?	Control Not Implemented	Excavation caved in due to weather conditions and not		
6/23/2026	S#1t That's Built at Heights	152601 (INTRA) Compass DC DFW 122602		Dynaten		Dropped object protection in place?	Hazard Not Recognized	BLDG 8 Trade partner employees using lift with no barricade in place.		
6/23/2026	S#1t That's Energized	122418 PHX I-I Building 6		Rosendin	26 00 00 - Electrical	Energized systems procedures in place?	Hazard Not Recognized	Building 6 DW2 REI conducting load bank testing. The S/O cables that are powering the bus bar at the WSM are laying across a sharp edge. Contacted REI to fix the situation and be sure to route the wire away from the area in the future		
6/23/2026	S#1t That's Energized	112401 ADOT - I-10 Country Club Rd & Kino Parkway TI's		Sundt	03 00 00 - Concrete	Energized systems procedures in place?		Kino Ramp over Ajo abutment Crew member was cutting rebar with out face shield. Bruce and I stopped the crew member and ask him to put a face shield on.		
6/23/2026	S#1t That's Built at Heights	161925 San Mateo Nutrient Removal & Wet Weather Flow Management Upgrade & Expansion Project		CEI		Fall prevention measures adequate?	Control Not Executed	A53		
6/23/2026	S#1t That's Built at Heights	112495 TxDOT IH 10 El Paso Stateline 2121-01-104		Sundt		Fall prevention measures adequate?	Control Not Implemented	Bridge 3 edge to headwall is to high and the barrels they have to secure edge is not ata proper distance or does it have warning tape to signify the edge		
6/23/2026	S#1t That's Built at Heights	122613 UTEP TWH Liberal Arts Site Restoration		Border Demolition		Fall prevention measures adequate?	Hazard Not Recognized	Employee was asked to stop work and and install CAZ area and tie off		
6/23/2026	S#1t That's Built at Heights	862282 Gilbert NWTP Facility Upgrades and Reconstruction		Sundt		Fall prevention measures adequate?	Control Not Executed	Filter complex - ozone gallery. Red rope delineating use of stairs without handrail had been removed. Established barrier and signage to prevent use.		



HS&E Walks



GROUP/DISTRICT/REGION	PROJECT	REPORTER	ROLE	FISCAL YEAR	Include Rollup Jobs
Select All	All	All	All	FY-2026	Yes No

515

HS&E Walks

91%

% Compliance

452

Corrected on Spot


123

Additional Review Required


157.25

Average of Days To Correct

HSE Walks




HSE Walk Follow Up?



Observations

● Non-compliant ● Compliant





STCKY Walker Performance Dashboard - Current Month

Walker Adjustment

Group, District, Region

All

Projects

All

Intra/Small Job

All

STCKY Walker

All

3584



Total STCKY Walks

3125

STCKY Walks Toward Target

5381

Project Team Walk Goal



Walk Submission History

STCKY Walker	Report Date	# of Walks
Alejandro Martinez	6/15/2026	23
Darren Vieth	6/2/2026	14
Saprina Benally	6/18/2026	12
Ricardo Diaz	6/5/2026	11
Gregory Panaccione	6/10/2026	11
John O'Byrne	6/4/2026	10
John O'Byrne	6/8/2026	10
Joshua Norlund	6/10/2026	10
Hector Gomez	6/13/2026	10
Ethan Lee	6/23/2026	10
Geoff White	6/11/2026	9
Miguel Flores	6/20/2026	9
Geoffrey Worthington	6/8/2026	8
Chance Morrison	6/10/2026	8

STCKY Walker	Role	Walks Completed	Walk Target	On Track?	Met Goal?
Darren Vieth	Safety STCKY Walker	28	20	Yes	Yes
Natividad Haro	Safety STCKY Walker	27	20	Yes	Yes
Gavin Poole	Safety STCKY Walker	26	20	Yes	Yes
Servando Elizalde	Safety STCKY Walker	26	20	Yes	Yes
Alejandro Martinez	Safety STCKY Walker	23	20	Yes	Yes
Chance Morrison	Safety STCKY Walker	23	20	Yes	Yes
Larry Hulett	Safety STCKY Walker	23	20	Yes	Yes
Henry Clark	Safety STCKY Walker	22	20	Yes	Yes
Alec LaPoint	Safety STCKY Walker	21	20	Yes	Yes
Geoffrey Worthington	Safety STCKY Walker	21	20	Yes	Yes
Mads Sargent	Safety STCKY Walker	21	20	Yes	Yes
Rudy Guzman	STCKY Walker	21	4	Yes	Yes
Erika Carrasco Perea	Safety STCKY Walker	20	20	Yes	Yes
Gregory Panaccione	Safety STCKY Walker	20	20	Yes	Yes
John O'Byrne	Safety STCKY Walker	20	20	Yes	Yes



STCKY Walker Performance Dashboard - Past Months

Group, District, Region

All

Project

All

STCKY Walker

All

Month

March 2026

5678

Total STCKY Walks

3442

Walks Toward Target

289



Walks Exempted

3827

Project Team Walk Goal

97.49%

% Goal Met (+ exemptions)



Walk Submission History

STCKY Walker	Report Date	# of Walks
Aashal Dalal	3/31/2026	1
Abe Garibay	3/31/2026	1
Adan Reyes	3/31/2026	16
Adayre Herman-Glaus	3/31/2026	4
Adrian Duran	3/31/2026	2
Adrian Solorio	3/31/2026	1
Alan Griffin	3/31/2026	3
Alex Garcia	3/31/2026	3
Alfredo Patino Castro	3/31/2026	2
Alonso Gonzalez-Chavez	3/31/2026	1
Andrew Bachrach	3/31/2026	4
Andrew Sullivan	3/31/2026	1
Anthony Krauss	3/31/2026	1
Antone Perrone	3/31/2026	1

STCKY Walker	Role	Walks Completed	Walk Target	Met Goal?
Aaron Alvarado	Safety STCKY Walker	4	4	Yes
Abraham Campos Rosales	Safety STCKY Walker	20	4	Yes
Abraham Garcia	Safety STCKY Walker	21	4	Yes
Adam Mack	Safety STCKY Walker	4	4	Yes
Adan Reyes	Safety STCKY Walker	23	4	Yes
Alaina Demere	Safety STCKY Walker	20	4	Yes
Alan Meza Reyes	Safety STCKY Walker	6	4	Yes
Alec LaPoint	Safety STCKY Walker	20	4	Yes
Alejandro Martinez	Safety STCKY Walker	26	4	Yes
Amanda Elms	Safety STCKY Walker	20	4	Yes
Araceli Rowe	Safety STCKY Walker	23	4	Yes
Brandon Ritchey	Safety STCKY Walker	21	4	Yes
Brian Martinez	Safety STCKY Walker	5	4	Yes
Brian Smith	Safety STCKY Walker	4	4	Yes
Carl Paiz	Safety STCKY Walker	4	4	Yes



STCKY Walker Performance Dashboard - Stop Work Rate

Group, District, Region

All

Project

All

STCKY Role

All

STCKY Walker

All

Month

All

41,678 Assessments Completed

● Protections Missing ● Protections In Place

Month	Protections Missing	Protections In Place
January	849	4236
February	857	4545
March	902	4776
April	982	4613
May	1098	4359
October	889	3993
November	833	4032
December	795	3986

Name	Employee Number	STCKY Role	Work Stopped	Protections in Place	Stop Work Rate
Aaron Alvarado	432262	Safety STCKY Walker		13	0%
Aaron Alvarado	432262	STCKY Walker		19	0%
Aaron Ball	421368	STCKY Walker	5	20	20%
Aaron Hursman	425622	STCKY Walker	7	29	19%
Aaron Kiser	449737	Sr STCKY Walker			0%
Aaron Sittig	423577	STCKY Walker		31	0%
Aaron Vigilante	432034	STCKY Walker	5	27	16%
Aashal Dalal	418172	STCKY Walker		15	0%
Abbas Fatehi	418613	STCKY Walker		32	0%
Total			7205	34540	17%

Number of STCKY Walks Submitted

● Protections Missing ● Protections in Place

Category	Protections Missing	Protections In Place
S#It That's Built at Heights	2.6K	7.5K
S#It That's Hazardous	1.3K	7.6K
S#It That Moves or Crushes	0.9K	7.6K
S#It That's Built Underground	0.8K	3.3K
S#It That's Energized	0.7K	1.8K
S#It That Lifts	0.5K	4.7K
S#It That Stores Energy	1.3K	
S#It That's Built in Confined Spaces	0.8K	

Stop Work Rate

Category	Count	Percentage
Protections In Place	35K	82.74%
Protections Missing	7K	17.26%

Date	Reporter	Project	Form	Protection	In Place?	Reason	Comments
5/31/2026	Javier Lopez	122602 (DFW Compass BLDG 6-10 FWS/TCS Process Piping)	S#It That's Hazardous	Safe handling, use, and storage of hazardous materials?	No	Hazard Not Recognized	6-2 True South a extension cord was run improperly, we implemented
5/31/2026	Sam Cooper	432562 (Blacks Creek Energy Center, LLC)	S#It That's Hazardous	Safe handling, use, and storage of hazardous materials?	No	Control Not Implemented	BHI laydown
5/31/2026	Sam Cooper	432562 (Blacks Creek Energy Center, LLC)	S#It That Stores Energy	Personnel protected from the release of stored energy (Material and Tools)?	No	Control Not Identified	BHI material laydown, material stacking was poor leaving the straw waddles ability to fall over and possible crush personnel.
5/31/2026	Ricardo Diaz	162478 (MWS: Omohundro Process Advancements)	S#It That's Built at Heights	Fall prevention measures adequate?	No	Control Not Implemented	Clearwell shaft: contractor did not fully erected an approved guardrail system that comply with fall prevention requirements. The observation was corrected immediately
5/31/2026	Jacob Kear	142508 (GBP Project Powerpack)	S#It That's Built Underground	Cave-in protection in place?	No	Control Not Identified	Evaporation electrical building



STCKY Walker Performance Dashboard - Group Goals

Group, District, Region

All

STCKY Walker

All

Month

FY - 2026

41678
Total STCKY Walks

7821 / 8041
Met Goal / Total Walkers

97%
% Company That Met Goal

Group	# Walkers	# Met Goal	%	Goal Met?
INDUSTRIAL	1	1	100%	Yes
ALAMOS INDUSTRIES	2	2	100%	Yes
CORPORATE	108	100	93%	Yes
RENEWABLES	164	163	99%	Yes
CONCRETE	684	671	98%	Yes
ADVANCED FACILITIES	808	779	96%	Yes
WATER & WASTEWATER	1186	1147	97%	Yes
BUILDING	1223	1210	99%	Yes
HEAVY INDUSTRIAL & MINING	1412	1360	96%	Yes
TRANSPORTATION	2453	2388	97%	Yes
Total	8041	7821	97%	Yes

STCKY Walker	Role	Met Goal?
Aaron Alvarado	Safety STCKY Walker	Yes
Aaron Alvarado	STCKY Walker	Yes
Aaron Ball	STCKY Walker	Yes
Aaron Hursman	STCKY Walker	Yes
Aaron Kiser	Sr STCKY Walker	Yes
Aaron Sittig	STCKY Walker	Yes
Aaron Vigilante	STCKY Walker	Yes
Aashal Dalal	STCKY Walker	Yes
Abbas Fatehi	STCKY Walker	Yes
Abe Garibay	STCKY Walker	Yes
Abigail Sandoval	STCKY Walker	Yes
Abraham Campos Rosales	Safety STCKY Walker	Yes
Abraham Garcia	Safety STCKY Walker	Yes

Goal Met? Yes No

